Archives of

Dermatological Research

Volume 280 1988/89

Editor-in-Chief: E. Christophers, Kiel

Managing Editors

P. Fritsch, Innsbruck

K. Halprin, Miami

O. P. Hornstein, Erlangen

E. G. Jung, Mannheim

S. I. Katz, Bethesda

R. Marks, Cardiff

G. Stüttgen, Berlin

H. Tagami, Sendai

Editorial Board

O. Braun-Falco, Munich

J. Civatte, Paris

I. Gigli, San Diego

V. K. Hopsu-Havu, Turku

S. Imamura, Kyoto

H. Ippen, Göttingen

L. Juhlin, Uppsala

A. Krebs, Berne

A. Kukita, Tokyo

E. Macher, Münster

R. M. Mackie, Glasgow

H. Maibach, San Francisco

Th. Nasemann, Hamburg

G. Plewig, Düsseldorf

H. Röckl, Würzburg

F. Serri, Rome

U. W. Schnyder, Zurich

G. K. Steigleder, Cologne

G. Stingl, Vienna

J. Thivolet, Lyon

K. Wolff, Vienna



Springer International

In 1869 the Archives of Dermatological Research was founded as Archiv für Dermatologie und Syphilis by H. Auspitz and F. J. Pick. Continued and edited by A. Neisser, L. v. Zumbusch, J. Jadassohn, W. Pick. Vols 1 – 127 (1920) published by Braunmüller, Vienna; as of Vol 128 (1921) by Springer, Berlin.

From 1921 until 1973 organ of the Deutsche Dermatologische Gesellschaft (Vereinigung deutschsprachiger Dermatologen). As of Vol 201 (1955) published as Archiv für klinische und experimentelle Dermatologie.

As of Vol 240 (1971) as Archiv für Dermatologische Forschung/Archives for Dermatological Research.

As of Vol 253 (1975) as Archives for Dermatological Research / Archiv für Dermatologische Forschung.

As of Vol 261 (1978) as Archives of Dermatological Research/Archiv für Dermatologische Forschung.

As of Vol 264 (1979) as Archives of Dermatological Research.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data-bases, video-disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA:

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US\$ 0.20 per page, or a minimum of US\$ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0340-3996, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printers: Wiesbadener Graphische Betriebe GmbH, D-6200 Wiesbaden, Federal Republic of Germany

© Springer-Verlag GmbH & Co. KG, Berlin Heidelberg 1989 · Printed in Germany

Contents Volume 280

Original contributions, Short communication and Letters to the editors	ns	Bissett DL, see Kock WR, et al. Bjelland S, Gildberg A, Volden G: Degradation of human epidermal keratin by fish pepsin	252 119
Achten G, see Laporte M, et al	S85	Bjelland S, Hjelmeland K, Volden G: Degradation of human epidermal keratin by cod trypsin and extracts	
clinical detection of an "early" malignant melanoma Adams LW, Priestley GC: Contraction of collagen lattices	S13	of fish intestines	469
by skin fibroblasts: drug-induced changes	114	Boehncke W-H, see Kaltoft K, et al	264
Ahmed AR: Absence of anti-Ro and anti-La antibodies		Boezeman JBM, see Bauer FW	129
in pemphigus and pemphigoid sera	127	Bolanča-Bumber S, Basta-Juzbašić A, Kansky A, Gross	129
Akagi O, see Kodama H, et al	108	T: A modified photometric quantification of skin sur-	
Akiyama H, see Kodama H, et al	108	face lipids sampled using the cigarette paper method	54
Alirezai, M, see Guillot B et al	477	Boris A, Hurley J, Wong CQ, Comai K, Shapiro S:	34
Alomar A, see García Muret MP, et al	S29	Sebum-suppressing activity of the nonpolar arotinoid	
Ando Y, Imamura S, Murachi T, Kannagi R: Calpain		Ro 15-0778 in rodents	246
activates two transglutaminases from porcine skin	380	Borroni G, see Stefanini M, et al	S19
André J, see Laporte M, et al	S85	Bourne AJ, see Bradbeer M, et al	228
Announcements	456	Bradbeer M, Bourne AJ, Ayberk H, Tang SK, Marks	220
Anton-Lamprecht I, see Arnold ML, et al	268	R: Growth and antigenic characteristics of basal cell	
Antony M, see Kumar S, et al	371	carcinoma in culture	228
Arnold ML, Anton-Lamprecht I, Melz-Rothfuss B,		Brenner RM, see Montagna W, et al	S 68
Hartschuh W: Ichthyosis congenita type III. Clinical		Broekaert D, Van Oostveldt P: Nuclear differentiation	500
and ultrastructural characteristics and distinction		during epidermal keratinization	187
within the heterogeneous ichthyosis congenita group	268	Bröcker E-B, see Hamm H, et al	179
Asada Y, see Kawai S, et al	171	Buidin R, Golstein J, Parent D, Heenen M: Detection of	117
Asai J, see Okada T, et al	39	a heterogeneity of basal keratinocytes in human hyperpapillomatous epidermis: a monoclonal antibody	
pemphigus. Loss of epidermal and dermoepidermal		study	64
cohesion	S 66	Bun H, see Berbis Ph, et al	388
Ayberk H, see Bradbeer M, et al	228	Bureau, JP, see Guillot B et al	477
		Burns JL, see Kock WR, et al	252
Baldauf Ch, see Herrmann K, et al	399		
Barr RM, Wong E, Cunningham FM, Mallet AI, Greaves		Calaf J, see García Muret MP, et al	S 29
MW: Effect of dithranol treatment on arachidonic acid		Camp RDR, see Greaves MW	S33
and its lipoxygenase products in psoriasis	474	Capelli E, see Orecchia G, et al	S47
Barszcz D, Zarębska Z, Glińska-Ferenz M, Jabłońska S,		Carlisle K, see Montagna W, et al	S 68
Tigałonowa M, Gliński W: Alpha ₁ -proteinase inhibitor		Caruso D, see Tragni E, et al	437
in psoriasis: reduced activity in symptom-free patients		Cerimele D, see Cottoni F, et al	S 55
and during flare	198	Cerimele D, see Rabbiosi G, et al	S2
Basta-Juzbašić A, see Bolanča-Bumber S, et al	54	Chanoki M, Ishii M, Fukai K, Kobayashi H, Hamada T,	
Baturay NZ, Trombetta LD: Cocarcinogenic and tumor-		Muragaki Y, Ooshima A:Immunohistochemical local-	
promoting capabilities of anthralin	443	ization of type V collagen in normal human skin	145
Bauer FW, Boezeman JBM: Nuclear differentiation dur-		Chi H-I, see Otsuka F, et al	61
ing epidermal keratinization	129	Cipriani R, see Peserico A, et al	390
Benassi L, see Giannetti A, et al	S61	Civatte J, see Jeanmougin M	S90
Benezra C, see Papageorgiou C, et al	5	Codolo R, see Peserico A, et al	390
Bensch K, see Nickoloff BJ, et al	235	Colige A, Nusgens B, Lapiere CM: Effect of EGF on	
Berardesca E, see Stefanini M, et al	S19	human skin fibroblasts is modulated by the extracellular	
Berbis Ph, Bun H, Geiger JM, Rognin C, Durand A,		matrix	S42
Serradimigni A, Hartmann D, Privat Y: Acitretin		Comai K, see Boris A, et al	246
(RO10-1670) and oral contraceptives: interaction		Cottoni F, Solinas A, Piga MR, Tocco A, Lissia M,	
study	388	Cerimele D: Lichen planus, chronic liver diseases, and	
Bergman R, see Ludatscher RM, et al	319	immunologic involvement	S 55
Bergroth V, Konttinen YT, Piirainen H, Johansson E,		Coupe M, see Guillot B et al	477
Nordström D, Malmström M: Evaluation of lympho-		Cuccia Belvedere M, see Orecchia G, et al	S47
cyte activation in skin lesions of patients with mixed		Cunningham FM, see Barr RM, et al	474
connective tissue disease and discoid lupus erythe-		Davey WP, see Strauss JS, et al	152
matodes	1	Degreef H, see Drijkoningen M, et al	220
Berner B, see Kock WR, et al	252	Demopoulos CA, see Lazanas M, et al	124
Betterle C, see Peserico A, et al	325	Denton SJ, see Strauss JS, et al	152
Bisballe S, see Kaltoft K, et al	264	De Simone C, see Venier A, et al	S51
S = Supplement		Desmet V, see Drijkoningen M, et al	220
s = supplement		Desinet v, see Diljkollingen M, et al	220

De Wolf-Peeters C, see Drijkoningen M, et al	220 259	Greaves MW, Camp RDR: Prostaglandins, leukotrienes, phospholipase, platelet activating factor, and cytokines:	
Downing DT, see Swartzendruber DC, et al	424	an integrated approach to inflammation of human skin	S33
Drijkoningen M, De Wolf-Peeters C, Degreef H, Desmet		Gross T, see Bolanča-Bumber S, et al	54
V: Epidermal Langerhans cells, dermal dendritic cells,		Gruijl FR de, see Weelden H van, et al	300
and keratinocytes in viral lesions of skin and mucous		Guilhou, JJ, see Guillot B et al	477
membranes: an immunohistochemical study	220	Guillot B, Coupe M, Alirezai M, Bureau JP, Guilhou JJ:	
Durand A, see Berbis Ph, et al	388	Studies of polymorphonuclear migration into psoriatic	
		skin using a new in vivo method	477
Eichelberg D, Fuchs A: Calmodulin-antagonism inhibits		Hachisuka H, Kusuhara M, Higuchi M, Okubo K, Sasai	
human keratinocyte proliferation	323	Y: Purification of rat cutaneous mast cells with Percoll	
Eichelberg D, Schmutzler W: Synthetic retinoids inhibit		density centrifugation	358
histamine release from isolated human mast cells	155	Hachisuka H, Nomura H, Sakamoto F, Mori O, Okubo	330
		K, Sasai Y: Effect of antianaphylactic agents on sub-	
Faergemann J, Larkö O: Phototoxicity of skin microor-		stance-P induced histamine release from rat peritoneal	
ganisms tested with a new model	168	mast cells	158
Favre M, see Jabłońska S, et al	S24	Hadlich J, see Herrmann FH, et al	457
Ferguson-Smith MA, see Herrmann FH, et al	457	Halprin KM, see Kato N, et al	89
Fine J-D, see Gay S, et al	333	Hamada T, see Chanoki M, et al	145
Flach DB, see Winkelmann RK, et al	S15	Hamm G, Wozniak K-D: Bullous pemphigoid antigen	
Fogh K, Herlin T, Kragballe K: In vitro inhibition of		concentration in normal human skin in relation to body	
leukotriene B ₄ formation by exogeneous 5-lipoxygenase		area and age	416
inhibitors is associated with enhanced generation of 15-hydroxy-eicosatetraenoic acid (15-HETE) by human		Hamm H, Klemmer S, Kreuzer I, Steijlen PM, Happle R,	
neutrophils	430	Bröcker E-B: HLA-DR and HLA-DQ antigen ex-	
Forni L, see Venier A, et al.	S 51	pression of anagen and telogen hair bulbs in long-stand-	
Frati L, see Venier A, et al	S 51	ing alopecia areata	179
Frāki J, see Töyry S, et al	282	Hannuksela M, see Larmi E, et al	420
Fräki JE, see Harvima IT, et al	363	Happle R, see Hamm H, et al	179
Fräki JE, see Tammi R, et al	23	Hartmann D, see Berbis Ph, et al	388
Friedman-Birnbaum R, see Ludatscher RM, et al	319	Hartschuh W, see Arnold ML, et al	268
Fuchs A, see Eichelberg D	323	Harvima IT, Naukkarinen A, Harvima RJ, Fräki JE:	
Fukai K, see Chanoki M, et al	145	Immunoperoxidase- and enzyme-histochemical demon-	
Fullerton SH, see Reusch MK, et al	194	stration of human skin tryptase in cutaneous mast cells	262
Fumagalli R, see Tragni E, et al	437	in normal and mastocytoma skin	363
Furukawa F, see Kanauchi H, et al	327	Harvima RJ, see Harvima IT, et al	363 308
		Hashimoto K, see Ito M, et al	399
Gal A, see Herrmann, FH, et al	457	Haustein U-F, see Herrmann K, et al	64
Galli CL, see Tragni E, et al	437	Hein R, see Katsuoka K, et al	185
Galli G, see Tragni E, et al	437	Herlin T, see Fogh K, et al	430
Garcia Muret MP, Pujol RM, Alomar A, Calaf J,		Herrmann FH, Wirth B, Wulff K, Hadlich J, Voss M,	450
Moragas JM de: Familial leiomyomatosis cutis et uteri		Gillard EF, Kruse TA, Ferguson-Smith MA, Gal A:	
(Reed's syndrome)	S29	Gene diagnosis in X-linked ichthyosis	457
Gay S, Fine J-D, Storer JS: Autoantibodies to extracellu-		Herrmann K, Schaller J, Haustein U-F, Baldauf Ch,	
lar collagen matrix components in epidermolysis		Kießig St: Lymphocytotoxic autoantibodies in pro-	
bullosa and other bullous diseases	333	gressive systemic sclerosis	399
Geiger JM, see Berbis Ph, et al	388	Hidaka T, see Ogura R, et al	481
Ghirlanda G, see Venier A, et al	S51	Hidaka T, see Tanaka T, et al	29
Giannetti A, Girolomoni G, Pincelli C, Benassi L:	0.61	Higuchi M, see Hachisuka H, et al	358
Immunopathologic studies in pityriasis lichenoides Giannetti A, see Rabbiosi G, et al	S61 S2	Hiruma M, Yamaji K, Shimizu T, Ohata H, Kukita A:	
Gielen V, Schmitt D, Thivolet J: HLA class I antigen	34	Ultrastructural study of tissue reaction of mice against	
(heavy and light chain) expression by Langerhans cells		Sporothrix schenckii infection	
and keratinocytes of the normal human epidermis:		Hjelmeland K, see Bjelland S, et al	
ultrastructural quantitation using immunogold label-		Horiguchi Y, see Kanauchi H, et al	
ling procedure	131	Horio T, see Kanauchi H, et al	
Gilchrest BA, see Sauder DN, et al	71	Hornstein OP, see Katsuoka K, et al	
Gildberg A, see Bjelland S, et al	119	Hornstein OP, see Katsuoka K, et al	
Gillard EF, see Herrmann FH, et al	457	Huang T, see Lin XR, et al	
Girolomoni G, see Giannetti A, et al	S61	Hursley I see Boris A et al	
Glińska-Ferenz M, see Barszcz D, et al	198	Hurley J, see Boris A, et al	
Glińska-Ferenz M, see Majewski S, et al	499	riyyiyidilicii A, see Tallillii R, et al	4.
Gliński W, see Barszcz D, et al	198	Iida T, see Muramatsu T, et al	411
Gliński W, see Reusch MK, et al	194	lizuka H, Ishida-Yamamoto A, Kajita S, Tsutsui M,	
Golstein J, see Buidin R, et al	64	Ohkuma N: Effects of UVB irradiation on epidermal	
Golębiowska A, see Jablońska S, et al	S24	adenylate cyclase responses in vitro: its relation to sun-	
Greaves, MW, see Barr RM, et al	474	burn cell formation	16

Ikai K, see Ujihara M, et al	392	Klemmer S, see Hamm H, et al	179
Imamura S, see Ando Y, et al	380	Klinger R, see Wollina, et al	497 497
Imamura S, see Kanauchi H, et al	327 18	Knop J, see Saloga J, et al	214
Inohara S, Tateishi H, Takeda Y, Tanaka Y, Sagami S:	10	Kobayashi H, see Chanoki M, et al	145
Effects of protein kinase C activators on mouse skin in	400	Kobayashi H, Yasuda H, Ohkawara A, Dosaka H, Oda	110
vivo	182	A, Ogiso Y, Kuzumaki N: Enhanced expression of ras gene products in psoriatic epidermis	250
Inohara S, Tatsumi Y, Tanaka Y, Tateishi H, Sagami S: Immunohistological identification of protein kinase C		Kock WR, Berner B, Burns JL, Bissett DL: Preparation	259
isozymes in normal and psoriatic epidermis	454	and characterization of a reconstituted stratum cor-	
Ishibashi Y, see Nindl M, et al	385	neum film as a model membrane for skin transport.	252
Ishibashi Y, see Otsuka F, et al	61	Kodama H, Akiyama H, Nagao Y, Akagi O, Nohara	
Ishida-Yamamoto A, see Iizuka H, et al	163	N: Persistence of foam cells in rabbit xanthoma after	100
Ishii M, see Chanoki M, et al	145	normalization of serum cholesterol level	108
Itami S, see Komada S, et al	487	Kolde G, see Saloga J, et al	214
Ito M, Hashimoto K, Sakamoto F, Sato Y, Voorhees JJ:	200	Komada S, Itami S, Kurata S, Takayasu S: Side gland of	
Pathogenesis of pili annulati	308	Suncus murinus as a new model of sebaceous gland: 5α -reductase, androgen receptor, and nuclear androgen	
Ito M, see Okada T, et al	39	content in male and female animals	497
Johloáska C Obalak C Calabianaka A Farma M Onth		Komura J, see Kawai S, et al	487 171
Jabłońska S, Obalek S, Gołębiowska A, Favre M, Orth	624	Konishi H, see Okada T, et al	39
G: Epidemiology of butchers' warts	S24	Konttinen YT, see Bergroth V, et al	1
Jabłońska S, see Barszcz D, et al	198 395	Kon Y, see Ogura R, et al	481
Jabłońska S, see Toruniowa B	189	Koussissis S, see Lazanas M, et al.	124
Janik P, see Majewski S, et al	499	Kragballe K, see Fogh K, et al	430
Jansén CT, see Punnonen K, et al	103	Kramer MD, Justus C: The antiproteolytic compound	150
Jeanmougin M, Civatte J: Prediction of benzoyl peroxide	105	α ₂ -macroglobulin in human skin	93
phototoxicity by photoepidermotests after repeated ap-		Kreuzer I, see Hamm H, et al	179
plications. Preventive value of a UVB filter	S90	Krieg Th, see Katsuoka K, et al	140
Johansson E, see Bergroth V, et al	1	Kruse TA, see Herrmann FH, et al	457
Justus C, see Kramer MD	93	Kukita A, see Hiruma M, et al	S94
		Kumar S, Antony M, Mehrotra NK: Role of cutaneous	
Kajita S, see Iizuka H, et al	163	GSH in 12-O-tetradecanoyl-phorbol 13-acetate-in-	
Kaltoft K, Bisballe S, Rasmussen HF, Thestrup-Pedersen		duced mouse skin tumor promotion	371
K, Boehncke W-H, Völker H, Sterry W: C-type par-		Kurata S, see Komada S, et al	487
ticles are inducible in Se-Ax, a continuous T-cell line		Kusuhara M, see Hachisuka H, et al	358
from a patient with Sézary's syndrome	264	Kuzumaki N, see Kobayashi H, et al	259
Kanauchi H, Furukawa F, Horiguchi Y, Horio T,			
Imamura S: Distribution of Langerhans cells in skin		Labrakis-Lazanas K, see Lazanas M, et al	124
lesions of MRL/I mice	327	Lagomarsini P, see Stefanini M, et al	S19
Kaneshima H, see Okada T, et al	39	Lahti A, see Larmi E, et al	420
Kannagi R, see Ando Y, et al	380	Langner A, see Majewski S, et al	499
Kansky A, see Bolanča-Bumber S, et al	54	Lapiere CM, see Colige A, et al	S42
Kapp A, Zeck-Kapp G, Möller A, Putz R: Granulocyte-		Laporte M, André J, Stouffs-Vanhoof F, Achten G: Nail	
activating mediators (GRAM): III. Further functional	246	changes in alopecia areata: light and electron	005
characterization of monocyte-derived GRAM	346	microscopy	\$85
Karasek MA, see Nickoloff BJ, et al	235	Larkö O, see Faergemann J	168
Karasek MA, see Reusch MK, et al	279	Larmi E, Lahti A, Hannuksela M: Ultraviolet light in-	
Karasek MA, see Reusch MK, et al	194	hibits nonimmunologic immediate contact reactions to benzoic acid	420
Karsten U, see Wollina U	257	to benzoic acid	420
Cyclosporin A induced augmentation of the beta-		K: Epidermis and lymphocyte interactions during a	
adrenergic adenylate cyclase response of pig epidermis	89	tuberculin skin reaction. I. Increased ETAF/II-1 like	
Katsuoka K, Hein R, Schell H, Hornstein OP:	67	activity, expression of tissue antigens and mixed skin	
Chemotactic response of human hair bulb papilla cells		lymphocyte reactivity	83
to chemoattractants in vitro	185	Larsen ChrG, see Zachariae C, et al	354
Katsuoka K, Mauch C, Schell H, Hornstein OP, Krieg		Larsen FG, see Larsen CG, et al	83
Th: Collagen-type synthesis in human-hair papilla cells		Lazanas M, Demopoulos CA, Tournis S, Koussissis S,	
in culture	140	Labrakis-Lazanas K, Tsarouhas X: PAF of biological	
Kawai S, Komura J, Asada Y, Niwa Y: Experimental		fluids in disease: IV. Levels in blood in allergic reactions	
burn-induced changes in lipid peroxide levels, and ac-		induced by drugs	124
tivity of superoxide dismutase and glutathione peroxi-		Lee JB, see Lee KH, et al	45
dase in skin lesions, serum, and liver of mice	171	Lee KH, Lee JB, Lee MG, Song DH: Detection of	
Kießig St, see Herrmann K, et al		circulating antibodies to purified keratinolytic protein-	
Kinner T, see Melnik B, et al		ase in sera from guinea pigs infected with Microsporum	
Kisselev LL, see Mordovtsev VN, et al		canis by enzyme-linked immunosorbent assay	45
Kitko DJ, see Swartzendruber DC, et al	424	Lee MG, see Lee KH, et al	45

Leun JC van der, see Weelden H van, et al	300 319	Nindl M, Nakagawa H, Ishibashi Y: Uranaffin reaction in Merkel cells of fetal rat skin	385
Lichtig C, see Ludatscher RM, et al	317	Niwa Y, see Kawai S, et al	171
Lin XR, Huang T, Zhang SZ: Langerhans cells in mouse vaginal epithelium — variations in relation to kerati-		Nohara N, see Kodama H, et al	108
	451	Nomura H, see Hachisuka H, et al	158
nization		Nordström D, see Bergroth V, et al	1
Lissia M, see Cottoni F, et al	S 55	Nusgens B, see Colige A, et al	S42
Livden JK: Fcy receptors on keratinocytes in psoriasis	12	Nuzzo F, see Stefanini M, et al.	S19
Ludatscher RM, Friedman-Birnbaum R, Bergman R,		Nuzzo F, see Stelanini M, et al	319
Lichtig C: Structural alterations of collagen fibrils in	210	Obalek S, see Jabłońska S, et al	S24
the reactive type of elastosis perforans serpiginosa	319	Oda A, see Kobayashi H, et al	259
Madison VC see Sweetendauber DC et al	424	Ogiso Y, see Kobayashi H, et al	259
Madison KC, see Swartzendruber DC, et al	424	Ogura R, see Tanaka T, et al	29
Majewski S, Janik P, Langner A, Glińska-Ferenz M,		Ogura R, Sugiyama M, Sakanashi T, Suematsu T, Hidaka	
Swietochowska B, Sawicki I: Decreased levels of vit-	400	T, Morikawa F, Kon Y: Membrane responses of B-16	
amin A in serum of patients with psoriasis	499	melanoma cells to single exposure to ultraviolet light	481
Majewski S, see Polakowski IJ, et al	395	Ohata H, see Hiruma M, et al	S94
Mallet, AI, see Barr RM, et al	474	Ohkawara A, see Kato N, et al	89
Malmström M, see Bergroth V, et al	1	Ohkawara A, see Kobayashi H, et al	259
Marks R, see Bradbeer M, et al	228	Ohkuma N, see Iizuka H, et al	163
Martinetti M, see Orecchia G, et al	S47	Okada T, Konishi H, Ito M, Kaneshima H, Asai J: Devel-	
Mauch C, see Katsuoka K, et al	140	opmental expression of C3 receptor on murine epi-	
Mehrotra NK, see Kumar S, et al	371	dermal Langerhans cells during ontogeny	39
Melnik B, Kinner T, Plewig G: Influence of oral		Okubo K, see Hachisuka H, et al	358
isotretinoin treatment on the composition of comedonal	07	Okubo K, see Hachisuka H, et al	158
lipids. Implications for comedogenesis in acne vulgaris	97	Ooshima A, see Chanoki M, et al	145
Melz-Rothfuss B, see Arnold ML, et al	268	Orecchia G, Capelli E, Martinetti M, Cuccia Belvedere M,	
Mihara M: Scanning electron microscopy of skin surface		Rabbiosi G: Decreased in vitro lymphocyte stimulation	
and the internal structure of corneocyte in normal hu-		and reduced sensitivity to IL-2 in patients with alopecia	
man skin. An application of the osmium-dimethyl	202	areata	S47
sulfoxide-osmium method	293	Orth G, see Jabłońska S, et al	S24
Mitsuhashi Y, see Schneider BV, et al	338	Ossi E, see Peserico A, et al	325
Miyauchi H, see Sugiura H, et al	405	Otsuka F, Chi H-I, Shima A, Ishibashi Y: Cytological	
Moloney SJ, Teal JJ: Alkane-induced edema formation	275	demonstration of abnormal DNA ploidy in the epider-	
and cutaneous barrier dysfunction	375	mis of porokeratosis	61
Moloney SJ: Effect of exogenous lipids on in vitro trans-	17		
epidermal water loss and percutaneous absorption.	67	Papageorgiou C, Stampf J-L, Benezra C: Allergic contact	_
Moloney SJ: Effect of exogenous lipids on in vitro trans-	250	dermatitis to tulips: An example of enantiospecificity	5
epidermal water loss and percutaneous absorption	259	Parent D, see Buidin R, et al	64
Montagna W, Carlisle K, Brenner RM: Wound healing	0.60	Perenzin G, see Peserico A, et al	390
in the sex skin of pig-tailed macaques	S 68	Perl S, see Wojnarowska F	494
Montagna W: A profile of Professor Ferdinando Serri	S1	Peserico A, Ossi E, Salvador L, Ruffatti A, Veller Fornasa	
Moragas JM de, see García Muret MP, et al	S29	C, Rondinone R, Betterle C: Circulating immune	205
Mordovtsev VN, Starkov IV, Zabarovsky ER, Kisselev		complexes in granuloma annulare	325
LL: Expression of the protooncogenes in psoriatic	0	Peserico A, Veller Fornasa C, Cipriani R, Perenzin G,	
lesions	8	Codolo R: Diminished blood filterability in psoriasis	390
Morikawa F, see Ogura R, et al	481	Piga MR, see Cottoni F, et al	S 55
Mori O, see Hachisuka H, et al	158	Piirainen H, see Bergroth V, et al	1
Moriya N, see Shiohara T, et al	33	Pincelli C, see Giannetti A, et al	S61
Möller A, see Kapp A, et al	346	Pittelkow MP, see Schallreuter KU	
Murachi T, see Ando Y, et al	380	Plewig G, see Melnik B, et al	97
Muragaki Y, see Chanoki M, et al	145	Polakowski IJ, Majewski S, Skopińska-Różewska E,	
Muramatsu T, Shirai T, Iida T, Yamashina Y, Sakamoto K: Antigen specificities of antibasement membrane		Zukowska M, Włodarska B, Jabłońska S: Modulatory	
		effect of sera from scleroderma patients on lymphocyte-	
zone antibodies: immunofluorescence and Western	411	induced angiogenesis. II. Effector cells for the enhanc-	205
immunoblotting studies	411	ing effect of acroscleroderma patients' sera	
N V V I II II	400	Porta S, see Tragni E, et al	
Nagao Y, see Kodama H, et al	108	Priestley GC, see Adams LW	114
Nagashima M, see Shiohara T, et al	33	Priestley GC: Urinary excretion of glycosaminoglycans in	
Nakagawa H, see Nindl M, et al	385	psoriasis	77
Naukkarinen A, see Harvima IT, et al	363	Privat Y, see Berbis Ph, et al	388
Nickoloff BJ, Reusch MK, Bensch K, Karasek MA: Pref-		Pujol RM, see García Muret MP, et al	S29
erential binding of monocytes and Leu 2+ T lympho-		Punnonen K, Puustinen T, Jansén CT: The antipsoriatic	
cytes to interferon-gamma treated cultured skin endo-	225	drug metabolite etretin (Ro 10-1670) alters the metabolice of fatty acids in hymnon handing autoria gultura	103
thelial cells and keratinocytes	235	olism of fatty acids in human keratinocytes in culture	103
Nickoloff BJ, see Reusch MK, et al	194 279	Putte SCJ van der, see Weelden H van, et al Putz R, see Kapp A, et al	
Nielsen V see Zachariae C et al	354	Punctinen T see Punnonen K et al	103

Raa J, see Bjelland S, et al	50	Stanulis-Praeger BM, see Sauder DN, et al	71
Rabbiosi G, Sacchi S, Cerimele D, Giannetti A: Professor		Starkov IV, see Mordovtsev VN, et al	8
Ferdinando Serri	S2	Stefanini M, Lagomarsini P, Berardesca E, Borroni G,	
Rabbiosi G, see Orecchia G, et al	S47	Rabbiosi G, Nuzzo F: Normal sensitivity to mutagens,	
Rabbiosi G, see Stefanini M, et al	S19	spontaneous chromosome breakage, and mutation fre-	
Rasmussen HF, see Kaltoft K, et al	264	quency in nevoid basal cell carcinoma syndrome	S19
Reissmann R, see Wollina, et al	497	Steijlen PM, see Hamm H, et al	179
Reusch MK, Fullerton SH, Nickoloff BJ, Gliński W,		Sterry W, see Kaltoft K, et al	264
Karasek MA: Leukotriene B ₄ enhances adherence of		Storer JS, see Gay S, et al	333
human polymorphonuclear leukocytes to dermal	104	Stouffs-Vanhoof F, see Laporte M, et al	S85
microvascular endothelial cells in vitro	194	Stranieri AM, see Strauss JS, et al	152
Reusch MK, Karasek MA, Nickoloff BJ: Effect of neuropeptides present in skin on the proliferation of		Strauss JS, Davey WP, Denton SJ, Stranieri AM: Effect	
human peripheral blood mononuclear cells and T cells	279	of an orally administered arotinoid, Ro 15-0778, on	150
Reusch MK, see Nickoloff BJ, et al	235	sebum production in man	152 481
Rognin C, see Berbis Ph, et al	388	Sugiura H, Miyauchi H, Uehara M: Evolutionary changes	401
Rondinone R, see Peserico A, et al	325	of immunohistological characteristics of secondary	
Ruffatti A, see Peserico A, et al	325	lesions in pityriasis rosea	405
realitation, see I escribed ray of this	323	Sugiyama M, see Ogura R, et al	481
Sarahi S. and Bakhingi C. et al.	63	Sugiyama M, see Tanaka T, et al	29
Sacchi S, see Rabbiosi G, et al	S2 454	Swartzendruber DC, Kitko DJ, Wertz PW, Madison KC,	
Sagami S, see Inohara S, et al	182	Downing DT: Isolation of cornecyte envelopes from	
Sagami S, see Inohara S, et al	33	porcine epidermis	424
Saizawa KM, see Shiohara T, et al	158	Swietochowska B, see Majewski S, et al	499
Sakamoto F, see Hachisuka H, et al	308	onterestation and an extension and extension	122
Sakamoto F, see Ito M, et al	411	Takahashi M. saa Tamaha T	463
Sakanashi T, see Ogura R, et al	481	Takahashi M, see Tezuka T	462
Saloga J, Knop J, Kolde G: Ultrastructural cytochemical	401	Takayasu S, see Komada S, et al	487 182
visualization of chromium in the skin of sensitized		Takeda Y, see Inohara S, et al	18
guinea pigs	214	Takigawa M, see Tokura Y, et al	207
Salvador L, see Peserico A, et al	325	Tammi R, Hyyryläinen A, Fräki JE: Histologic character-	207
Sasai Y, see Hachisuka H, et al	358	istics of lichen planus transplanted onto nude mice and	
Sasai Y, see Hachisuka H, et al	158	cultured in vitro	23
Sato Y, see Ito M, et al	308	Tammi R, see Töyry S, et al	282
Sauder DN, Stanulis-Praeger BM, Gilchrest BA: Auto-		Tanaka T, Hidaka T, Ogura R, Sugiyama M: Changes of	202
crine growth stimulation of human keratinocytes by		membrane fluidity and Na ⁺ , K ⁺ -ATPase activity during	
epidermal cell-derived thymocyte-activating factor: im-		cellular differentiation in the guinea pig epidermis	29
plications for skin aging	71	Tanaka T, Imamura S, Takigawa M: Relationship be-	
Sawicki I, see Majewski S, et al	499	tween macrophage infiltration and epidermopoiesis in	
Schaller J, see Herrmann K, et al	399	delayed-type hypersensitivity	18
Schallreuter KU, Pittelkow MP: Defective calcium uptake		Tanaka Y, see Inohara S, et al	182
in keratinocyte cell cultures from vitiliginous skin	137	Tanaka Y, see Inohara S, et al	454
Schell H, see Katsuoka K, et al	185	Tang SK, see Bradbeer M, et al	228
Schell H, see Katsuoka K, et al	140	Tang W, Ziboh VA: Reversal of epidermal hyperprolifera-	
Schmitt D, see Gielen V, et al	131	tion in essential fatty acid deficient guinea pigs is ac-	
Schmutzler W, see Eichelberg D	155	companied by rapid generation of inositol triphosphate	286
Schneider BV, Mitsuhashi Y, Schnyder UW: Ultrastruc-		Tateishi H, see Inohara S, et al	454
tural observations in port wine stains	338	Tateishi H, see Inohara S, et al	182
Schnyder UW, see Schneider BV, et al	338	Tatsumi Y, see Inohara S, et al	454
Serradimigni A, see Berbis Ph, et al	388	Taylor JR, see Kato N, et al	89
Serri F, see Venier A, et al	S51	Teal JJ, see Moloney SJ	375
Shapiro S, see Boris A, et al	246	Ternowitz T, see Larsen CG, et al	83
Sherertz EF, Sloan KB: Percutaneous penetration of		Ternowitz Th, see Zachariae C, et al	354
squaric acid and its esters in hairless mouse and human		Tezuka T, Takahashi M: The 55-kd keratohyalin granule	
skin in vitro		protein has the same epitope as the 43-kd stratum cor-	
Shima A, see Otsuka F, et al	61	neum membrane protein: immunofluorescence and	
Shimizu T, see Hiruma M, et al		immunoblotting studies using a monoclonal antibody	460
Shiohara T, Moriya N, Saizawa KM, Nagashima M: Role		to the 55-kd keratohyalin granule protein	462
of Langerhans cells in epidermotropism of T cells		Thestrup-Pedersen K, see Kaltoft K, et al	264
Shirai T, see Muramatsu T, et al		Thestrup-Pedersen K, see Larsen CG, et al	83
Simon M Jr, Hunyadi J: Leu-11b (CD16) antigen ex-		Thestrup-Pedersen K, see Zachariae C, et al	354
pression on human keratinocytes		Thivolet J, see Gielen V, et al	131
Skopińska-Różewska E, see Polakowski IJ, et al Sloan KB, see Sherertz EF		Tocco A, see Cottoni F, et al	S 55
Solinas A, see Cottoni F, et al		Tokura Y, Takigawa M, Yamada M: Induction of contact	333
Song DH, see Lee KH, et al	45	photosensitivity to TCSA using photohapten-modified	
Stampf J-L, see Papageorgiou C, et al		syngeneic spleen cells	207
The same of the sa	67	-1Camera abream como	201

Toonstra J, see Weelden H van, et al	300	Wertz PW, see Swartzendruber DC, et al	424 497
of psoriasis	189	Winkelmann RK, Flach DB, Unni KK: Lung cancer and	421
Tournis S, see Lazanas M, et al	124	scleroderma	S15
Töyry S, Fräki J, Tammi R: Mast cell density in psoriatic	12.	Wirth B, see Herrmann FH, et al	457
skin. The effect of PUVA and corticosteroid therapy	282	Włodarska B, see Polakowski IJ, et al	395
Tragni E, Caruso D, Porta S, Fumagalli R, Galli G, Galli		Wojnarowska F, Perl S: Normal IgA production by pe-	
CL: Arachidonic acid metabolism in HEL/30 murine		ripheral blood lymphocytes in dermatitis herpetiformis	
epidermal cell line	437	and linear IgA dermatosis	494
Trombetta LD, see Baturay NZ	443	Wollina U, Karsten U: Immunohistochemical demon-	
Tsarouhas X, see Lazanas M, et al	124	stration of cytokeratin 19-positive basal cells in psori-	
Tsutsui M, see Iizuka H, et al	163	atic plaques	257
		Wollina U, Klinger R, Wetzker R, Reissmann R, Knopf	
Uccioli L, see Venier A, et al	S51	B: Immunhistochemical localization of calmodulin in	
Uehara M, see Sugiura H, et al	405	normal and psoriatic epidermis	497
Ujihara M, Ikai K, Urade Y: Basal levels of prostaglan-		Wong CQ, see Boris A, et al	246
dins in rat skin	392	Wong E, see Barr RM, et al	474
Unni KK, see Winkelmann RK, et al	S15	Wozniak K-D, see Hamm G	416
Urade Y, see Ujihara M, et al	392	Wulff K, see Herrmann FH, et al	457
Van Oostveldt P, see Broekaert D	187	V	207
Veller Fornasa C, see Peserico A, et al	325	Yamada M, see Tokura Y, et al	207 S94
Veller Fornasa C, see Peserico A, et al	390	Yamashina Y, see Muramatsu T, et al	411
Venier A, De Simone C, Forni L, Ghirlanda G, Uccioli		Yasuda H, see Kobayashi H, et al	259
L, Serri F, Frati L: Treatment of severe psoriasis with		Tasuda 11, see Kobayasiii 11, et al	237
somatostatin: four years of experience	S 51		
Volden G, see Bjelland S, et al	50	Zabarovsky ER, see Mordovtsev VN, et al	8
Volden G, see Bjelland S, et al	469	Zachariae C, Ternowitz Th, Larsen ChrG, Nielsen V,	
Volden G, see Bjelland S, et al	119	Thestrup-Pedersen K: Epidermal lymphocyte chemo-	
Voorhees JJ, see Ito M, et al	308	tactic factor specifically attracts OKT4-positive	
Voss M, see Herrmann FH, et al	457	lymphocytes	354
Völker H, see Kaltoft K, et al	264	Zarębska Z, see Barszcz D, et al	198
		Zeck-Kapp G, see Kapp A, et al	346
Weelden H van, Gruijl FR de, Putte SCJ van der, Toonstra		Zhang SZ, see Lin XR, et al	451
J, Leun JC van der: The carcinogenic risks of modern	200	Ziboh VA, see Tang W	286
tanning equipment. Is UV-A safer than UV-B?	300	Żukowska M, see Polakowski IJ, et al	395

